
## ROY, KIESEL, KEEGAN & DENICOLA

A PROFESSIONAL LAW CORPORATION

VICTOR L. ROY, III
KYLE M. KEEGAN
SUSANNAH M. DENICOLA
CHRISTOPHER D. KIESEL
DUSTIN R. BAGWELL
J. BRIAN JUBAN
DAVID A. LOWE
HUNTER R. BERTRAND

2355 DRUSILLA LANE (70809)
P.O. BOX 15928
BATON ROUGE, LOUISIANA 70895-5928
TELEPHONE: (225) 927-9908
TELECOPIER: (225) 926-2685
E-mail:rkkd@rkkdlaw.com



W. DAVID KIESEL\*
R. BENNETT FORD, JR.\*
STEPHEN R. DOODY\*
NEIL J. COIG\*
NITI DUGGAL\*

7016 APR 21 Pi

REGISTERED PATENT ATTORNEY

US PATEINT & TRADEMAPIN

April 13, 2006

<u>Certified Mail</u> <u>Return Receipt Requested</u> No.7003 3110 0004 3289 5031

Dr. Warren Herron, III Herron Intellectual Property Holdings, LLC 404 Sunset Blvd. Gulf Breeze, FL 32561-4060

Re: High Strength Low Density Multi-Purpose Panel

U.S. Patent Appl. No.: 10/796,732

Patent No.: 7,021,017 Our File No.: 8057.011

Dear Dr. Herron:

Enclosed is the Official U.S. Letters Patent No. 7,021,017, which evidences Herron Intellectual Property Holdings' patent rights. Please keep this original Letters Patent in a safe place where it is not likely to become lost or stolen.

Also note that you must under the present law pay to the Patent Office three maintenance fees on or before the following dates:

April 4, 2009 - \$ 470.00 April 4, 2013 - \$1,075.00 April 4, 2017 - \$1,660.00

The above maintenance fees may be paid as late as October 4, 2009, October 4, 2013, and October 4, 2017, with appropriate surcharge. <u>Failure to timely pay these maintenance fees will result in the cancellation of your patent rights.</u>

Although our law firm does maintain a calendaring system, we will not assume the responsibility of reminding you when the maintenance fees are due. You must maintain your own calendaring system. Please be advised that this patent will expire on March 8, 2026, twenty years from the filing date.

Enclosed are copies of papers, which we will file with the Patent Office indicating we are withdrawing as attorney of record and to forward directly to you any notices or other correspondence relating to your patent.

## ROY, KIESEL, KEEGAN & DENICOLA

Dr. Warren Herron April 13, 2006 Page 2

2003 APR 21 PM 4: 11

Products employing the patent should be physically marked with the patent number (e. g. Patent, 7,021,017). Please be sure to read and follow the enclosed insert, Patent Marking. Valuable rights will be lost if you fail to properly mark your device as patented.

Sincerely,

ROY, KIESEL, KEEGAN & DENICOLA

R. Bennett Ford

RBF/afb

Enclosure: Patent No. 7,021,017

Copy of Request for Withdrawal





PATENT AND TRADEMARK OFFICE

2005 APR 21 PM 4: 19

US PATENT & TRADEMARK

FILING DATE:

March 8, 2004

**APPLICANT:** 

Warren Herron

**EXAMINER:** 

NGUYEN, Chi Q.

**ART Unit:** 

3635

**SERIAL NO.:** 

10/796,732

**ATTY REF. NO.:** 

8057.011

TITLE:

HIGH STRENGTH LOW DENSITY MULTI-PURPOSE PANEL

**PATENT NO.:** 

7,021,017

Commissioner of Patents

Attn: Manager, Patent Maintenance Division

P.O. Box 1450

Alexandria, VA 22313-1450

## **CERTIFICATE OF MAILING**

I hereby certify that the following paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450:

- Request for Withdrawal by Attorney as Fee Addressee (triplicate) 2 pgs.;
- Copy of Letter to Warren Herron (2 pgs.);
- Certificate of Mailing; and
- Stamped Return Postcard.

04/13/06

Date

Ashlev Braud

./!